

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolo

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/25/2017 04/25/2017	Herman Phillips

LM Start		Rating **	A	Issue No.	3
LM End		Issue Type +	Ma	Location *	CR
Category	Earthen Levee		GPS Latitude/Longitude		
			Start	End	
Item	Operations & Maintenance Manuals			°	°
DWR ID	DWR_RD2068_01_f_2014_3				
Comment Code					
Inspector Comment					
RD 2068 has the O&M Manual on hand.					

No Photos

LM Start		Rating **	A	Issue No.	4
LM End		Issue Type +	Ma	Location *	CR
Category	Earthen Levee		GPS Latitude/Longitude		
			Start	End	
Item	Flood Preparedness & Training			°	°
DWR ID	DWR_RD2068_01_f_2014_4				
Comment Code					
Inspector Comment					
RD 2068 crew members are trained yearly.					

No Photos

* Location LS : Land Side N/A : Not Applicable WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolo

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/25/2017 04/25/2017	Herman Phillips

LM Start		Rating **	A	Issue No.	5
LM End		Issue Type +	Ma	Location *	CR
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Emergency Supplies & Equipment				o
					o
DWR ID	DWR_RD2068_01_f_2014_5				
Comment Code					
Inspector Comment					
RD 2068 has emergency supplies stored.					

No Photos

LM Start	0.06	Rating **	A	Issue No.	14
LM End	0.45	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.407740 °	38.402073 °
				-121.693763 °	-121.693780 °
DWR ID	DWR_RD2068_01_s_2017_14				
Comment Code					
V1 : Control annual grass and weeds on the levee slopes and easements.					
Inspector Comment					
No unwanted vegetation on landside slope from 0.06 to 0.45.					


Photo 1 of 1 : SP_2017_RD2068_193_14_20170518_00015.jpg



RD 2068 Looking downstream from levee mile 0.06 landside.

LM Start	0.06	Rating **	M	Issue No.	13
LM End	0.50	Issue Type +	Ma	Location *	WS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.407740 °	38.401318 °
				-121.693763 °	-121.693790 °
DWR ID	DWR_RD2068_01_s_2017_13				
Comment Code					
V1 : Control annual grass and weeds on the levee slopes and easements.					
Inspector Comment					
Control the annual grasses and weeds on the slope and toe.					

Photo 1 of 1 : SP_2017_RD2068_193_13_20170518_00016.jpg



Looking downstream from levee mile 0.06 landside shoulder.

* Location		** Rating		+ Issue Type	
LS : Land Side	N/A : Not Applicable	A : Acceptable	N : Not Inspected/Rated	Ma : Maintenance Deficiency	
WS : Water Side		M : Minimally Acceptable	C : Corrected	Ob : Design & System Obsolescence	
CR : Crown		U : Unacceptable	A/W : Acceptable but Monitor & Maintain	En : Enforcement	

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolo

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/25/2017 04/25/2017	Herman Phillips

LM Start	0.40	Rating **	M	Issue No.	15
LM End	0.40	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Trim / Thin Trees			38.402705 °	38.402705 °
				-121.693790 °	-121.693787 °
DWR ID	DWR_RD2068_01_s_2017_15				
Comment Code					
T1 : Trim trees to at least five feet above ground level.					
Inspector Comment					
Trim the tree on the landside shoulder levee mile 0.40.					

No Photos

LM Start	0.45	Rating **	M	Issue No.	26
LM End	5.48	Issue Type +	Ma	Location *	CR
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.420730 °	38.329110 °
				-121.693780 °	-121.694090 °
DWR ID	DWR_RD2068_01_s_2017_26				
Comment Code					
V9 : Keep the crown roadway free of vegetation.					
Inspector Comment					
Keep the crown roadway free of vegetation.					

No Photos

* Location LS : Land Side N/A : Not Applicable WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable	N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolo

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/25/2017 04/25/2017	Herman Phillips

LM Start	0.50	Rating **	U	Issue No.	16
LM End	5.48	Issue Type +	Ma	Location *	WS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.401318 °	38.329110 °
				-121.693790 °	-121.694093 °
DWR ID	DWR_RD2068_01_s_2017_16				
Comment Code					
V1 : Control annual grass and weeds on the levee slopes and easements.					
Inspector Comment					
Control the annual grasses and weeds on the levee slope and toe waterside.					

Photo 1 of 1 : SP_2017_RD2068_193_16_20170518_00017.jpg



RD 2068 Looking downstream from levee mile 0.50-5.48 tall weeds present on the levee slope.

LM Start	0.50	Rating **	U	Issue No.	17
LM End	5.48	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.401318 °	38.329110 °
				-121.693790 °	-121.694093 °
DWR ID	DWR_RD2068_01_s_2017_17				
Comment Code					
V1 : Control annual grass and weeds on the levee slopes and easements.					
Inspector Comment					

No Photos

* Location LS : Land Side N/A : Not Applicable WS : Water Side CR : Crown		** Rating A : Acceptable N : Not Inspected/Rated M : Minimally Acceptable C : Corrected U : Unacceptable A/W : Acceptable but Monitor & Maintain		+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	--	---	--	---

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolano

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/25/2017 04/25/2017	Herman Phillips

LM Start	2.11	Rating **	M	Issue No.	11
LM End	2.46	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Animal Control			38.378028 °	38.372862 °
				-121.693908 °	-121.693978 °
DWR ID	DWR_RD2068_01_f_2016_11				
Comment Code					
A1 : Exterminate rodents and backfill and compact or grout burrows.					
Inspector Comment					
There are active rodents in the area, several holes were seen but no bait stations observed on the slope where rodents were noted.					

No Photos

LM Start	2.69	Rating **	M	Issue No.	19
LM End	5.48	Issue Type +	Ma	Location *	CR
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.369500 °	38.329110 °
				-121.693953 °	-121.694093 °
DWR ID	DWR_RD2068_01_s_2017_19				
Comment Code					
V9 : Keep the crown roadway free of vegetation.					
Inspector Comment					
Keep crown roadway free of vegetation.					

No Photos

LM Start	3.16	Rating **	M	Issue No.	20
LM End	3.19	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Slope Stability			38.362765 °	38.362278 °
				-121.694040 °	-121.694050 °
DWR ID	DWR_RD2068_01_s_2017_20				
Comment Code					
S1 : Repair slope instability.					
Inspector Comment					
Repair the slope instability.					

No Photos

* Location		** Rating		+ Issue Type	
LS : Land Side	N/A : Not Applicable	A : Acceptable	N : Not Inspected/Rated	Ma : Maintenance Deficiency	
WS : Water Side		M : Minimally Acceptable	C : Corrected	Ob : Design & System Obsolescence	
CR : Crown		U : Unacceptable	A/W : Acceptable but Monitor & Maintain	En : Enforcement	

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolo

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/25/2017 04/25/2017	Herman Phillips

LM Start	3.26	Rating **	M	Issue No.	21
LM End	3.34	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Erosion / Bank Caving			38.361292 °	38.360112 °
				-121.694065 °	-121.694080 °
DWR ID	DWR_RD2068_01_s_2017_21				
Comment Code					
E2 : Schedule repair of erosion site prior to the next inspection.					
Inspector Comment					
Schedule the repairs to the erosion before flood season.					

No Photos

LM Start	3.36	Rating **	M	Issue No.	22
LM End	3.40	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Slope Stability			38.359838 °	38.359212 °
				-121.694085 °	-121.694107 °
DWR ID	DWR_RD2068_01_s_2017_22				
Comment Code					
S1 : Repair slope instability.					
Inspector Comment					
Repair the slope instability.					

No Photos

* Location LS : Land Side N/A : Not Applicable WS : Water Side CR : Crown		** Rating A : Acceptable N : Not Inspected/Rated M : Minimally Acceptable C : Corrected U : Unacceptable A/W : Acceptable but Monitor & Maintain		+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	--	---	--	---

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolano

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/25/2017 04/25/2017	Herman Phillips

LM Start	3.66	Rating **	M	Issue No.	23
LM End	3.70	Issue Type +	Ma	Location *	CR
Category	Earthen Levee		GPS Latitude/Longitude		
			Start	End	
Item	Crown Surface / Depressions / Rutting		38.355468 °	38.354915 °	
			-121.693885 °	-121.693900 °	
DWR ID	DWR_RD2068_01_s _ 2017_23				
Comment Code					
C2 : Repair depressions or ruts in the crown or slope.					
Inspector Comment					

No Photos

LM Start	3.86	Rating **	M	Issue No.	24
LM End	4.50	Issue Type +	Ma	Location *	CR
Category	Earthen Levee		GPS Latitude/Longitude		
			Start	End	
Item	Crown Surface / Depressions / Rutting		38.352572 °	38.343270 °	
			-121.693902 °	-121.693967 °	
DWR ID	DWR_RD2068_01_s _ 2017_24				
Comment Code					
C2 : Repair depressions or ruts in the crown or slope.					
Inspector Comment					

No Photos

LM Start	4.69	Rating **	M	Issue No.	25
LM End	5.41	Issue Type +	Ma	Location *	CR
Category	Earthen Levee		GPS Latitude/Longitude		
			Start	End	
Item	Crown Surface / Depressions / Rutting		38.340543 °	38.330138 °	
			-121.693983 °	-121.694052 °	
DWR ID	DWR_RD2068_01_s _ 2017_25				
Comment Code					
C2 : Repair depressions or ruts in the crown or slope.					
Inspector Comment					

No Photos

* Location LS : Land Side N/A : Not Applicable WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable	N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolano

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/25/2017 04/25/2017	Herman Phillips

LM Start	5.46	Rating **	A/W	Issue No.	32
LM End	5.46	Issue Type +	Ma	Location *	CR
Category	Supplemental			GPS Latitude/Longitude	
				Start	End
Item	DWR UCIP LMA Responsibility			38.329410 °	38.329410 °
				-121.694076 °	-121.694076 °
DWR ID					
Comment Code					
Inspector Comment					
FS_ID:17479 DS_ID:19343 EP_NO: 2359 Repair Type: No Action Needed Crossing Status: Found UCIP Comments: FIELD_STRUCT_DESC: 1 of 2: 36-inch steel drain pipe though the levee 3 feet below the crown. Siphon breaker in 36-inch diameter steel riser on WS shoulder. Flap gate in 10'X20' concrete outlet box at WS toe (Permit No. 2359, 1957). Included in O&M manual, 1962. FS Date: 8/8/2013					

Photo 1 of 3 : UCIP_SP_2017_17479_29574.jpg



Siphon breaker in 36-inch diameter steel riser on WS shoulder.

LM Start	5.46	Rating **	A/W	Issue No.	32 (cont)
LM End	5.46	Issue Type +	Ma	Location *	CR

Photo 2 of 3 : UCIP_SP_2017_17479_29573.jpg



Pumphouse visible on pier at LS.

* Location LS : Land Side N/A : Not Applicable WS : Water Side CR : Crown		** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain		+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	--	---	--	---

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolano

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/25/2017 04/25/2017	Herman Phillips

LM Start	5.46	Rating **	A/W	Issue No.	33 (cont)
LM End	5.46	Issue Type +	Ma	Location *	CR
Category	Supplemental			GPS Latitude/Longitude	
				Start	End
Item	DWR UCIP LMA Responsibility			38.329397 °	38.329397 °
				-121.694076 °	-121.694076 °
DWR ID					
Comment Code					
Inspector Comment					
FS_ID:17480					
DS_ID:19342					
EP_NO: 2359					
Repair Type: No Action Needed					
Crossing Status: Found					
UCIP Comments:					
FIELD_STRUCT_DESC: 2 of 2: 42-inch steel drain pipe though the levee 3 feet below the crown. Siphon breaker in 36-inch steel riser on WS shoulder. Flap gate in 10'X20' concrete outlet box at WS toe. Pump in pumphouse on pier at LS (Permit No. 2359, 1957). Included in O&M manual, 1962.					
FS Date: 8/8/2013					

LM Start	5.46	Rating **	A/W	Issue No.	33 (cont)
LM End	5.46	Issue Type +	Ma	Location *	CR

Photo 2 of 3 : UCIP_SP_2017_17480_29577.jpg



Siphon breaker in 36-inch steel riser on WS shoulder.

Photo 3 of 3 : UCIP_SP_2017_17480_29576.jpg



Flap gate in 10'X20' concrete outlet box at WS toe.

* Location LS : Land Side N/A : Not Applicable WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	---	---

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolano

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/25/2017 04/25/2017	Herman Phillips

LM Start	5.47	Rating **	A/W	Issue No.	34 (cont)	
LM End	5.47	Issue Type +	Ma	Location *	CR	
Category	Supplemental			GPS Latitude/Longitude		
				Start		End
Item	DWR UCIP LMA Responsibility			38.329275 °	38.329275 °	
				-121.694078 °	-121.694078 °	
DWR ID						
Comment Code						
Inspector Comment						
FS_ID:17503						
DS_ID:19340						
EP_NO: 15923						
Repair Type: No Action Needed						
Crossing Status: Found						
UCIP Comments:						
FIELD_STRUCT_DESC: 6'x6' Reinforced concrete box culvert through the levee 21.1 feet below the crown. 9'X14' concrete inlet/weir on LS toe. 7'X10' concrete building houses Slide gate on WS shoulder Flap gate in 8'X10' concrete U-shaped headwall on WS toe. (Permit No. 15923, 1992). Culvert replaced three 36-inch pipes installed under Permit No. 10160, 1974.						
FS Date: 8/8/2013						

Photo 3 of 3 : UCIP_SP_2017_17503_29585.jpg



Flap gate in concrete outlet on WS toe.

* Location
 LS : Land Side N/A : Not Applicable
 WS : Water Side
 CR : Crown

** Rating
 A : Acceptable
 M : Minimally Acceptable
 U : Unacceptable
 N : Not Inspected/Rated
 C : Corrected
 A/W : Acceptable but Monitor & Maintain

+ Issue Type
 Ma : Maintenance Deficiency
 Ob : Design & System Obsolescence
 En : Enforcement

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolano

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 02 Back Levee	Left	3.22	04/25/2017 04/25/2017	Herman Phillips

LM Start	0.01	Rating **	U	Issue No.	10
LM End	0.93	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.358227 °	38.371688 °
				-121.740365 °	-121.740033 °
DWR ID	DWR_RD2068_02_s_2017_10				
Comment Code					
V1 : Control annual grass and weeds on the levee slopes and easements.					
Inspector Comment					
Control the annual grasses and weeds on the landside slope and berm.					

Photo 1 of 1 : SP_2017_RD2068_194_10_20170518_00008.jpg



RD 2068 Looking downstream landside slope and berm.

LM Start	0.01	Rating **	M	Issue No.	11
LM End	1.85	Issue Type +	Ma	Location *	CR
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.358313 °	38.382542 °
				-121.740385 °	-121.730262 °
DWR ID	DWR_RD2068_02_s_2017_11				
Comment Code					
V9 : Keep the crown roadway free of vegetation.					
Inspector Comment					
Keep crown roadway free of vegetation.					

Photo 1 of 1 : SP_2017_RD2068_194_11_20170518_00009.jpg



RD 2068 Looking downstream from levee mile 0.01.

* Location LS : Land Side N/A : Not Applicable WS : Water Side CR : Crown		** Rating A : Acceptable N : Not Inspected/Rated M : Minimally Acceptable C : Corrected U : Unacceptable A/W : Acceptable but Monitor & Maintain		+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	--	---	--	---

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolano

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 02 Back Levee	Left	3.22	04/25/2017 04/25/2017	Herman Phillips

LM Start	0.41	Rating **	M	Issue No.	12
LM End	0.41	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Slope Stability			38.364053 °	38.364147 °
				-121.740320 °	-121.740320 °
DWR ID	DWR_RD2068_02_s_2017_12				
Comment Code					
Inspector Comment					

No Photos

LM Start	0.57	Rating **	M	Issue No.	13
LM End	1.85	Issue Type +	Ma	Location *	WS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.366397 °	38.382542 °
				-121.740313 °	-121.730262 °
DWR ID	DWR_RD2068_02_s_2017_13				
Comment Code					
V1 : Control annual grass and weeds on the levee slopes and easements.					
Inspector Comment					
Ground was too soft to go any farther than this point in fear of getting stuck.					

No Photos

LM Start	0.65	Rating **	M	Issue No.	14
LM End	0.65	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Slope Stability			38.367547 °	38.367547 °
				-121.740273 °	-121.740273 °
DWR ID	DWR_RD2068_02_s_2017_14				
Comment Code					
S1 : Repair slope instability.					
Inspector Comment					
RD has made repairs to slip.					

Photo 1 of 1 : SP_2017_RD2068_194_14_20170518_00010.jpg



RD 2068 Slope instability 0.65 waterside slope.

* Location LS : Land Side N/A : Not Applicable WS : Water Side CR : Crown		** Rating A : Acceptable N : Not Inspected/Rated M : Minimally Acceptable C : Corrected U : Unacceptable A/W : Acceptable but Monitor & Maintain		+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	--	---	--	---

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolano

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 02 Back Levee	Left	3.22	04/25/2017 04/25/2017	Herman Phillips

LM Start	1.85	Rating **	U	Issue No.	15
LM End	2.16	Issue Type +	Ma	Location *	CR
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.382542 °	38.386237 °
				-121.730262 °	-121.726930 °
DWR ID	DWR_RD2068_02_s_2017_15				
Comment Code					
V9 : Keep the crown roadway free of vegetation.					
Inspector Comment					
Keep crown roadway free of vegetation. Not able to continue from this point crown roadway too soft. Stopped at levee 2.16.					

Photo 1 of 2 : SP_2017_RD2068_194_15_20170518_00013.jpg



Looking downstream from levee mile 2.16

LM Start	1.85	Rating **	U	Issue No.	15 (cont)
LM End	2.16	Issue Type +	Ma	Location *	CR

Photo 2 of 2 : SP_2017_RD2068_194_15_20170518_00014.jpg



Looking upstream from levee mile 2.16.

LM Start	1.85	Rating **	U	Issue No.	16
LM End	2.16	Issue Type +	Ma	Location *	LS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.382542 °	38.386237 °
				-121.730262 °	-121.726930 °
DWR ID	DWR_RD2068_02_s_2017_16				
Comment Code					
V1 : Control annual grass and weeds on the levee slopes and easements.					
Inspector Comment					
Control the annual grasses and weeds on the landside slope and toe.					

Photo 1 of 1 : SP_2017_RD2068_194_16_20170518_00011.jpg



RD 2068 landside slope levee mile 1.85- 2.16.

* Location		** Rating		+ Issue Type	
LS : Land Side	N/A : Not Applicable	A : Acceptable	N : Not Inspected/Rated	Ma : Maintenance Deficiency	
WS : Water Side		M : Minimally Acceptable	C : Corrected	Ob : Design & System Obsolescence	
CR : Crown		U : Unacceptable	A/W : Acceptable but Monitor & Maintain	En : Enforcement	

**Flood Control Project Maintenance
Levee Inspections**

Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2017

Reclamation District No. 2068 Yolano

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 02 Back Levee	Left	3.22	04/25/2017 04/25/2017	Herman Phillips

LM Start	1.85	Rating **	U	Issue No.	17
LM End	2.16	Issue Type +	Ma	Location *	WS
Category	Earthen Levee			GPS Latitude/Longitude	
				Start	End
Item	Vegetation			38.382542 °	38.386237 °
				-121.730262 °	-121.726930 °
DWR ID	DWR_RD2068_02_s_2017_17				
Comment Code					
V1 : Control annual grass and weeds on the levee slopes and easements.					
Inspector Comment					
Control the annual grasses and weeds from the waterside levee slope and toe.					

Photo 1 of 1 : SP_2017_RD2068_194_17_20170518_00012.jpg



RD 2068 Waterside levee mile 1.85-2.18

LM Start	3.15	Rating **	M	Issue No.	26
LM End	3.15	Issue Type +	Ma	Location *	WS
Category	Supplemental			GPS Latitude/Longitude	
				Start	End
Item	DWR UCIP LMA Responsibility			38.397933 °	38.397933 °
				-121.716406 °	-121.716406 °
DWR ID					
Comment Code					
Inspector Comment					
FS_ID:42725 DS_ID:19352 EP_NO: 10164 Repair Type: Non-Urgent Crossing Status: Found UCIP Comments: Appears abandoned and if so should be done properly. Pipe buried except for small opening. FIELD_STRUCT_DESC: *ABANDONED* 6 of 6: 48-inch corrugated metal pipe through the levee 4.0 feet below the crown (ABO No. 10164, 1974). Originally included in the O&M manual, 1962. FS Date: 8/13/2013					

Photo 1 of 1 : UCIP_SP_2017_42725_29680.jpg



Pipe buried but visible at toe of east side of levee.

* Location LS : Land Side N/A : Not Applicable WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable	N : Not Inspected/Rated C : Corrected A/W : Acceptable but Monitor & Maintain	+ Issue Type Ma : Maintenance Deficiency Ob : Design & System Obsolescence En : Enforcement
--	--	---	---